

# GLOCK®

## BUYER'S GUIDE 2025



SAFE, SIMPLE, FAST = CONFIDENCE  
GLOCK.COM

### GLOCK PERFECTION®

*meets*

### AIMPOINT PERFORMANCE




**Aimpoint®**

● Performance from Trust



4	PISTOL PARTS LIST
5	LUBRICATION GUIDE
6-7	GLOCK x AIMPOINT
8-9	GLOCK x AIMPOINT PRODUCTS & SPECIFICATIONS
10-13	9X19 PISTOLS
14	.22 LR PISTOL
15	.380 AUTO PISTOL
16-17	.40 S&W PISTOLS
18-19	.45 AUTO PISTOLS
20	10MM AUTO PISTOLS
21	GLOCK+ ACCESSORIES
22-23	GLOCK PARTS & TOOLS



Gen3 Model Available in California

**NON-MOS AVAILABLE**

Pistol model also available without the GLOCK Modular Optic System (MOS).

**SLIMLINE®**

Slim and lightweight pistols, available in compact and subcompact sizing.

\*Gen5 Not CA Compliant \*\*Technical specs may be altered without notice \*\*\*Optics not included on MOS models



**MAKE IT SIMPLE,  
MAKE IT PERFECT.**

**GASTON GLOCK  
FOUNDER | INVENTOR**





# PISTOL PARTS LIST



## GLOCK 47<sup>®</sup> MOS<sup>™</sup> PARTS LIST


- |     |                                    |       |                             |
|-----|------------------------------------|-------|-----------------------------|
| 1   | Slide                              | 17    | Frame                       |
| 1b  | Cover plate MOS                    | 17c/d | Beavertail Backstrap M/L    |
| 1c  | Cover plate screw                  | 18    | Magazine catch spring       |
| 2   | Barrel                             | 19    | Magazine catch              |
| 3   | Recoil spring assembly             | 20    | Slide lock spring           |
| 4   | Firing pin                         | 21    | Slide lock                  |
| 5   | Spacer sleeve                      | 22    | Locking block               |
| 6   | Firing pin spring                  | 23    | Trigger mechanism housing   |
| 7   | Spring cups                        | 24    | Connector                   |
| 8   | Firing pin safety                  | 26    | Trigger with trigger bar    |
| 9   | Firing pin safety spring           | 27    | Slide stop lever            |
| 10  | Extractor                          | 28    | Trigger pin                 |
| 11  | Extractor depressor plunger        | 29    | Trigger housing pin (short) |
| 12  | Extractor depressor plunger spring | 31    | Magazine tube               |
| 13  | Spring-loaded bearing              | 32    | Follower                    |
| 14  | Slide cover plate                  | 33    | Magazine spring             |
| 15  | Rear sight                         | 34    | Magazine insert             |
| 16a | Front sight                        | 35    | Magazine floor plate        |
| 16b | Front sight screw                  | 42    | MOS Set                     |

## GLOCK<sup>®</sup> LUBRICATION GUIDE




### CONNECTOR LUBRICATION

1 DROP SPREAD ON INDICATED AREA




RIGHT SIDE FRAME VIEW



RIGHT SIDE VIEW

### BARREL LUBRICATION


1 DROP ONLY ON INDICATED AREAS



SPREAD OVER ENTIRE BARREL

### SLIDE LUBRICATION

1-2 DROPS SPREAD ON INDICATED AREAS



MAGAZINE

### DO NOT LUBRICATE



WEEP HOLE SLIDE



LUBRICATION AREA




DO NOT LUBRICATE



**GLOCK**


# GLOCK x Aimpoint

GLOCK PERFECTION MEETS AIMPOINT PERFORMANCE



**Aimpoint**

● Performance from Trust



The Aimpoint A-Cut™ interface allows for the sight to be mounted deeper into the pistol slide for extreme stability and durability.

The Aimpoint COA™ optic comes factory installed on select GLOCK pistols. The sight features 3D orientation for fast, accurate target acquisition.



**GLOCK PERFECTION®**  
*meets*  
**AIMPOINT PERFORMANCE**

The leading global manufacturer of pistols and the pioneer of red dot sights delivers an exclusive package: the GLOCK pistol with Aimpoint COA Combo. The exclusive package features select GLOCK pistols with Aimpoint A-Cut interface and the ultra-compact Aimpoint COA™ optic installed. The direct mounting enables a deep setting for extreme stability and durability.



# GLOCK x AIMPOINT

## G43X WITH AIMPOINT COA OPTIC

LENGTH	6.50 IN. / 165 MM
HEIGHT	5.83 IN. / 148 MM
WIDTH	1.10 IN. / 28 MM
WEIGHT INCL. MAGAZINE	~19.22 OZ. / ~545 G
TRIGGER PULL	~5.4 LBS. / ~24 N

STANDARD 10



MSRP \$1,002

## G48 WITH AIMPOINT COA OPTIC

LENGTH	7.28 IN. / 185 MM
HEIGHT	5.83 IN. / 148 MM
WIDTH	1.10 IN. / 28 MM
WEIGHT INCL. MAGAZINE	~21.34 OZ. / ~605 G
TRIGGER PULL	~5.4 LBS. / ~24 N

STANDARD 10



MSRP \$1,002

## G19 Gen5 WITH AIMPOINT COA OPTIC

LENGTH	7.28 IN. / 185 MM
HEIGHT	5.83 IN. / 148 MM
WIDTH	1.34 IN. / 34 MM
WEIGHT INCL. MAGAZINE	~23.99 OZ. / ~680 G
TRIGGER PULL	~5.8 LBS. / ~26 N

STANDARD 15  
OPTIONAL 17/10/24



MSRP \$1,165

## G45 WITH AIMPOINT COA OPTIC

LENGTH	7.44 IN. / 189 MM
HEIGHT	6.26 IN. / 159 MM
WIDTH	1.34 IN. / 34 MM
WEIGHT INCL. MAGAZINE	~24.69 OZ. / ~700 G
TRIGGER PULL	~5.8 LBS. / ~26 N

STANDARD 17  
OPTIONAL 19/24/31/33



MSRP \$1,165

## G47 WITH AIMPOINT COA OPTIC

LENGTH	7.95 IN. / 202 MM
HEIGHT	6.26 IN. / 159 MM
WIDTH	1.34 IN. / 34 MM
WEIGHT INCL. MAGAZINE	~25.40 OZ. / ~720 G
TRIGGER PULL	~5.8 LBS. / ~26 N

STANDARD 17  
OPTIONAL 19/24/31/33




MSRP \$1,165

Pistols come as package with Aimpoint COA(TM) optic factory installed with Aimpoint A-Cut(TM) interface. Available in limited quantities.



## AIMPOINT A-CUT™ INTERFACE SPECIALIZED DIRECT CUT MOUNTING SOLUTION.



The Aimpoint A-Cut allows **secure and reliable hold** of the new Aimpoint COA red dot sight.

The unique cut from Aimpoint enables the sight **to be directly mounted into the slide.**

## AIMPOINT COA™ RED DOT SIGHT

THE AIMPOINT COA RED DOT SIGHT COMES IN A COMPACT DESIGN MOUNTED DIRECTLY ON THE SLIDE.



The **fully enclosed emitter** protects the sight and makes it a versatile and rugged addition to the GLOCK pistol.



The wide field of view provides **great situational awareness.**



The robust rear sight, which is part of the **mounting solution**, enables co-witnessing.

DOT SIZE: 3.5 MOA  
DOT COLOR: RED

NVD COMPATIBLE: YES  
CO-WITNESS WITH STANDARD GLOCK SIGHTS: YES

BATTERY TYPE: CR2032, 3V, LITHIUM  
BATTERY LIFE: 50,000 H AT DAYLIGHT SETTING 7



# 9x19 PISTOLS

## 9x19

The 9x19 cartridge sets the standard worldwide as the preferred cartridge for reliability and ease of control. Advanced projectile technology has made the 9x19 caliber one of the most common and versatile rounds today.

### 9x19: A superb round for the perfect brand of firearms – GLOCK

- Moderate recoil
- Accessible offerings from many ammo brands
- A caliber popular amongst police and military



G45 MOS	
LENGTH	7.44 IN. / 189 MM
HEIGHT	5.47 IN. / 139 MM
WIDTH	1.34 IN. / 34 MM
WEIGHT INCL. MAGAZINE	~24.52 OZ. / ~695 G
TRIGGER PULL	~5.8 LBS. / ~26 N
🔒 17/10 NON-MOS AVAILABLE	



G19 Gen5 MOS	
LENGTH	7.28 IN. / 185 MM
HEIGHT	5.04 IN. / 128 MM
WIDTH	1.34 IN. / 34 MM
WEIGHT INCL. MAGAZINE	~23.81 OZ. / ~675 G
TRIGGER PULL	~5.8 LBS. / ~26 N
🔒 15/10 NON-MOS AVAILABLE	



## SLIMLINE<sup>®</sup>

### G43X MOS


LENGTH	6.50 IN. / 165 MM
HEIGHT	5.04 IN. / 128 MM
WIDTH	1.10 IN. / 28 MM
WEIGHT INCL. MAGAZINE	~18.55 OZ. / ~526 G
TRIGGER PULL	~5.4 LBS. / ~24 N

 10 NON-MOS AVAILABLE



### G47 MOS

LENGTH	7.95 IN. / 202 MM
HEIGHT	5.47 IN. / 139 MM
WIDTH	1.34 IN. / 34 MM
WEIGHT INCL. MAGAZINE	~25.93 OZ. / ~735 G
TRIGGER PULL	~5.8 LBS. / ~26 N

 17/10 G17 GEN5 NON-MOS AVAILABLE





# 9x19 PISTOLS

## G19X

LENGTH	7.44 IN. / 189 MM
HEIGHT	5.47 IN. / 139 MM
WIDTH	1.30 IN. / 33 MM
WEIGHT INCL. MAGAZINE	~24.83 OZ. / ~704 G
TRIGGER PULL	~5.8 LBS. / ~26 N

19/17/10



## SLIMLINE®

### G48 MOS

LENGTH	7.28 IN. / 185 MM
HEIGHT	5.04 IN. / 128 MM
WIDTH	1.10 IN. / 28 MM
WEIGHT INCL. MAGAZINE	~20.60 OZ. / ~584 G
TRIGGER PULL	~5.4 LBS. / ~24 N

10 NON-MOS AVAILABLE



## G26 Gen5 MOS

LENGTH	6.42 IN. / 163 MM
HEIGHT	4.17 IN. / 106 MM
WIDTH	1.30 IN. / 33 MM
WEIGHT INCL. MAGAZINE	~21.69 OZ. / 615 G
TRIGGER PULL	~5.8 LBS. / ~26 N

10 NON-MOS AVAILABLE



## SLIMLINE®

### G43

LENGTH	6.26 IN. / 159 MM
HEIGHT	4.25 IN. / 108 MM
WIDTH	1.06 IN. / 27 MM
WEIGHT INCL. MAGAZINE	~17.99 OZ. / ~510 G
TRIGGER PULL	~5.4 LBS. / ~24 N

6





### G34 Gen5 MOS

LENGTH	8.74 IN. / 222 MM
HEIGHT	5.47 IN. / 139 MM
WIDTH	1.34 IN. / 34 MM
WEIGHT INCL. MAGAZINE	~26.21 OZ. / ~743 G
TRIGGER PULL	~5.4 LBS. / ~24 N

17/10



### G17L Gen5 MOS

LENGTH	9.45 IN. / 240 MM
HEIGHT	5.47 IN. / 139 MM
WIDTH	1.34 IN. / 34 MM
WEIGHT INCL. MAGAZINE	~25.40 OZ. / ~720 G
TRIGGER PULL	~5.4 LBS. / ~24 N

17/10



# .22 LR PISTOL



## G44

LENGTH	7.28 IN. / 185 MM
HEIGHT	5.04 IN. / 128 MM
WIDTH	1.26 IN. / 32 MM
WEIGHT INCL. MAGAZINE	~14.64 OZ. / ~415 G
TRIGGER PULL	~5.8 LBS. / ~26 N

10

## THE G44® GLOCK'S .22 LR RIMFIRE PISTOL

GLOCK's .22 LR rimfire pistol is lightweight and accurate. With many of the same features and latest Gen5 technologies of larger-caliber GLOCK pistols, this is the one to have for training, field carry, and just plain fun when target shooting!

### TRAINER, COMPETITOR, AND LOADS OF FUN — IT'S ALL IN THE G44:

- GLOCK SAFE ACTION® System
- Threaded barrel option available (not standard)
- Light recoil
- Spare magazine and cleaning tools included

## .380 AUTO

The .380 AUTO saw a remarkable resurgence in popularity for concealed carry over the last decade, due to advancements in ammunition technology. GLOCK meets the demand for an ultra-reliable handgun that makes the most of this small round with the G42 pistol.

### THE ULTIMATE CHOICE FOR CONCEALED CARRY IS GLOCK'S G42 PISTOL CHAMBERED IN .380 AUTO:

- Small size, big performance
- Minimal recoil, notable accuracy
- Self-defense in a highly concealable package
- Effective defensive ammunition readily available

G42	
LENGTH	5.94 IN. / 151 MM
HEIGHT	4.13 IN. / 105 MM
WIDTH	.98 IN. / 25 MM
WEIGHT INCL. MAGAZINE	~13.76 OZ. / ~390 G
TRIGGER PULL	~5.4 LBS. / ~24 N

6





# .40 S&W PISTOLS

## .40 S&W

A proven round for law enforcement use, self-defense, competition, and casual target shooting, the .40 S&W is a powerful cartridge without being overwhelming. Its efficient size also contributes to improved magazine capacity.

### The powerful .40 S&W GLOCK family:

- Efficient size, impressive power
- Documented terminal performance
- A cartridge for all occasions: self-defense, field, and competition
- .40 S&W GLOCK Gen5 pistols have improved control and handling

### G27 Gen5

LENGTH	6.42 IN. / 163 MM
HEIGHT	4.21 IN. / 107 MM
WIDTH	1.30 IN. / 33 MM
WEIGHT INCL. MAGAZINE	~23.85 OZ. / ~676 G
TRIGGER PULL	~5.8 LBS. / ~26 N

9





## G22 Gen5 MOS

LENGTH	7.95 IN. / 202 MM
HEIGHT	5.51 IN. / 140 MM
WIDTH	1.34 IN. / 34 MM
WEIGHT INCL. MAGAZINE	~28.43 OZ. / ~806 G
TRIGGER PULL	~5.8 LBS. / ~26 N

 15/10 NON-MOS AVAILABLE



## G23 Gen5 MOS

LENGTH	7.28 IN. / 185 MM
HEIGHT	5.08 IN. / 129 MM
WIDTH	1.34 IN. / 34 MM
WEIGHT INCL. MAGAZINE	~26.67 OZ. / ~756 G
TRIGGER PULL	~5.8 LBS. / ~26 N

 13/10 NON-MOS AVAILABLE





# .45 AUTO PISTOLS

## .45 AUTO

In use for more than 100 years, the iconic .45 AUTO cartridge was originally designed for the U.S. military. Tested in battle across the decades and a favorite of competitive shooters and self-defense practitioners, the .45 AUTO in a GLOCK pistol is heralded as a powerful yet controllable round.

**GLOCK .45 AUTO models do it all with this do-it-all, powerful cartridge:**

- Historically recognized as a premiere defensive round
- Modern ammunition designed for a wide range of applications



### G21 Gen5 MOS

LENGTH	8.07 IN. / 205 MM
HEIGHT	5.51 IN. / 140 MM
WIDTH	1.38 IN. / 35 MM
WEIGHT INCL. MAGAZINE	~29.10 OZ. / ~825G
TRIGGER PULL	~5.8 LBS. / ~26 N

13/10



### G41 Gen4 MOS

LENGTH	8.78 IN. / 223 MM
HEIGHT	5.47 IN. / 139 MM
WIDTH	1.34 IN. / 34 MM
WEIGHT INCL. MAGAZINE	~26.63 OZ. / ~755 G
TRIGGER PULL	~5.4 LBS. / ~24 N

13/10 NON-MOS AVAILABLE



### G30 Gen5

LENGTH	6.97 IN. / 177 MM
HEIGHT	4.80 IN. / 122 MM
WIDTH	1.38 IN. / 35 MM
WEIGHT INCL. MAGAZINE	~26.28 OZ. / ~745 G
TRIGGER PULL	~5.8 LBS. / ~26 N

🔫 10

### SLIMLINE<sup>®</sup>

### G36

LENGTH	6.97 IN. / 177 MM
HEIGHT	4.72 IN. / 120 MM
WIDTH	1.18 IN. / 30 MM
WEIGHT INCL. MAGAZINE	~22.40 OZ. / ~635 G
TRIGGER PULL	~6.3 LBS. / ~28 N

🔫 6



### G30S

LENGTH	6.97 IN. / 177 MM
HEIGHT	4.80 IN. / 122 MM
WIDTH	1.38 IN. / 35 MM
WEIGHT INCL. MAGAZINE	~22.75 OZ. / ~645 G
TRIGGER PULL	~6.3 LBS. / ~28 N

🔫 10





# 10MM AUTO PISTOLS

## 10MM AUTO

GLOCK models in 10MM AUTO offer magnum performance in an ultra-reliable package. GLOCK engineering yields controllable recoil and substantial capacity. Accurate, durable, and safe, the GLOCK 10MM AUTO pistols are a superb choice for hunting and self-defense.

### G40 GEN4 MOS

LENGTH	9.49 IN. / 241 MM
HEIGHT	5.47 IN. / 139 MM
WIDTH	1.34 IN. / 34 MM
WEIGHT INCL. MAGAZINE	~35.45 OZ. / ~1005 G
TRIGGER PULL	5.4 LBS. / ~24 N

15/10



### G20 GEN5 MOS

LENGTH	8.07 IN. / 205 MM
HEIGHT	5.51 IN. / 140 MM
WIDTH	1.38 IN. / 35 MM
WEIGHT INCL. MAGAZINE	~29.81 OZ. / ~845 G
TRIGGER PULL	~5.8 LBS. / ~26 N

15/10



### G29 GEN5

LENGTH	6.93 IN. / 176 MM
HEIGHT	4.53 IN. / 115 MM
WIDTH	1.38 IN. / 35 MM
WEIGHT INCL. MAGAZINE	~26.81 OZ. / ~760 G
TRIGGER PULL	~5.8 LBS. / ~26 N

10



# GLOCK+

GLOCK pistol accessories manufactured by GLOCK.

These accessories meet the uncompromising GLOCK quality standards and enhance your firearm's performance.




**GLOCK® TACTICAL LIGHT II**

The new GLOCK Tactical Light (GTL II) specially designed for standard frame GLOCK pistols with a mounting rail. (Does not fit Slimline)



**GLOCK® PERFORMANCE TRIGGER**

The GLOCK Performance Trigger meets the criteria for those looking for an enhanced trigger pull and ergonomics. Available in 9x19mm, .40 S&W, and .22 LR calibers.



**FLARED GLOCK® MAGWELL**

The flared GLOCK Magwell allows for faster and more accurate magazine reloads making it a great add-on to your GLOCK pistol. Fits Models: G17 Gen5, G22 Gen5, G34 Gen5, G45 and G47.






# GLOCK ACCESSORIES

## FULLY ADJUSTABLE REAR SIGHT




Equipped with a contrast insert that enables simple, accurate, and fast alignment, the GLOCK Adjustable Rear Sight has a low-profile, point-of-impact positioning that is adjustable in elevation and windage. Supplied with adjustment tool.

## REAR SIGHT ADJUSTMENT TOOL



A versatile, easy to use adjustment and installation device for GLOCK rear sights.

## FIXED NIGHT SIGHT



Tritium contrast points that illuminate in color at night, visible as white in daylight.

## FIXED REAR SIGHT

This sight is available to compensate for various types of ammunition. Available in 6.1mm, 6.5mm, 6.9mm, and 7.3mm heights.



## STEEL SIGHTS

GLOCK offers fixed steel sights as an alternative to the well-known standard polymer fixed sights.



## FRONT SIGHT MOUNTING TOOL

For installing the GLOCK screw-on front sight (all versions), simply screw the front sight onto the slide of the pistol. By turning the screw, the front sight is easily installed and locked in place.



**NON ARMORED PACKAGED SMALL PARTS  
NOW AVAILABLE AT [STORE.GLOCK.US](https://store.glock.us)**

FOLDS DOWN FOR EASY STORAGE

## ENTRENCHING TOOL

A must-have for any outdoor enthusiast, this innovative entrenching tool has a surface-treated blade that can be locked in three positions for multiple uses. The hardened saw located inside the handle can be quickly mounted if required. When folded, the GLOCK Entrenching Tool can be easily stored in a backpack or vehicle. Comes with a durable nylon pouch that can attach to a belt or backpack.

AVAILABLE COLORS: BLACK • SNIPER GREY • FLAT DARK EARTH • BATTLEFIELD GREEN

## SURVIVAL KNIFE MODEL 81 WITH SAW

The GLOCK Survival Knife is made of a special hardened steel, with polymer handles and black, anti-corrosion-coated blades for maximum durability and ruggedness. Knives come with matching sheaths made of high-impact-resistant polymer material and feature a loop catch that allows for quick drawing with only one hand. They fit belts up to 2.4 inches (60mm) in width.

STORE.GLOCK.US

# GLOCK+

GLOCK pistol accessories manufactured by GLOCK.



For information about all  
GLOCK products, visit  
[glock.com](http://glock.com)

**GLOCK**<sup>®</sup>  
PERFECTION