

# GLOCK

## 2020 BUYER'S GUIDE



SAFE. SIMPLE. FAST. = CONFIDENCE.

[www.glock.com](http://www.glock.com)

**NEW**  
**GLOCK 44**  
**.22 LR**





# 2020 BUYER'S GUIDE

## NEW



## REAL RIMFIRE: ANNOUNCING THE GLOCK 44

One of the most satisfying yet often overlooked segments of the shooting world is a firearm chambered in .22 Long Rifle. With rimfire ammunition prices having returned to reasonable levels, shooters can embark on a solid day's worth of trigger time without breaking the bank. Even better, light recoil, soft report, and the round's inherently lightweight firearm platforms all combine to make the rimfire range experience enjoyable. As such, the new GLOCK 44 pistol chambered in .22 LR—a first for the iconic firearms manufacturer—is sure to be an instant classic.

### OVERVIEW

Before we get into the details, let's touch on why a GLOCK rimfire pistol is a bellwether event for the firearms industry. By taking more than 30 years of experience in manufacturing combat, defensive, and competition pistols, GLOCK has wrapped a proven, rock-solid platform around an inexpensive and light-recoiling cartridge that can service several disciplines. All the features you know and love from the fifth generation (Gen5) pistols are present in the GLOCK 44. The trigger pull is identical to a standard GLOCK pistol. The same SAFE-ACTION® features

that require no manual safety, the same form factor, the same manual of arms—all of these attributes combine to bring a deeply familiar experience to a brand-new caliber for GLOCK pistols. And for those who own a GLOCK 19, your holster, weapon lights, and other accessories are all interchangeable with the svelte G44 pistol.

Like the rest of the GLOCK Gen4 and Gen5 lineup, the G44 ships with a spare magazine, a set of interchangeable backstraps, and a field-cleaning kit, all packed into a signature GLOCK carrying case.

### DESIGN AND ENGINEERING

Firearm manufacturers have always been challenged by the development of rimfire pistols. While the classic tilting-barrel, locking-breech action invented by John Moses Browning still dominates the centerfire handgun market, the lower power levels of the .22 LR cartridge requires only a simple blowback action. In the past, some companies have been forced to alter semiautomatic handgun designs so that just part of the slide or a bolt cycles the action, opposed to a full slide cycle seen on most centerfire handguns. This means that developing



## RANGE TIME

The identical form factor of the G44's magazine means that reloading drills are just as they are with every other GLOCK. Magazines drop effortlessly when the Gen5 magazine release is pressed. The flared magazine well aids in lightning-quick reloads. And the feel of the baseplate, body, and overall form are all, without question, GLOCK.

Semiautomatic .22 LR pistols have historically suffered from reliability issues. Without the use of a smooth copper jacket afforded to centerfire rounds, rimfire bullets can be a sore spot for some firearms. But building on its time-honored tradition of reliability, GLOCK designed the G44 magazine, feed ramp, and chamber to function with everything from match-grade ammunition to inexpensive plinking rounds.

Drawing from a holster, acquiring proper sight alignment, pulling the trigger, and accurately hitting the target with the new G44 are all quintessential GLOCK. Whether you are a competitive shooter or someone training for self-defense, this rimfire pistol will fit into your practice routine seamlessly. Even those shooters who have never considered owning a .22 LR pistol will be convinced that this is a gun worthy of space in the safe after handling the new G44.

rimfire pistols with the same look and feel as their centerfire counterparts was nearly impossible.

One of the most revolutionary aspects of the new G44 is the use of a hybrid steel-and-polymer slide designed to provide strength while being capable of cycling rimfire ammunition. Steel slide rails are perfectly embedded into a polymer main slide that is almost indistinguishable from a standard GLOCK slide. It is this confluence of materials that makes the GLOCK 44 pistol an industry-changing moment for sport, target, tactical, and competitive shooters. The effect is perfect—an ultralight GLOCK slide capable of cycling rimfire rounds.

Coming in at nearly half the weight of the G19, the G44 tops the scales at only 12.6 ounces without a magazine. The lack of heft is noticeable, and it allows for smaller-statured shooters, especially those with smaller hands, to easily point and hold the new pistol on target without fatigue. Still, the feel is distinctly GLOCK. If you were part of a “blind taste test” while shooting the new G44, you’d be hard pressed to actually identify the model of GLOCK, save for its light recoil.

Aside from its reduced weight, the G44 is nearly indistinguishable from its full-powered GLOCK counterparts. The GLOCK SAFE-ACTION® trigger pull, interchangeable backstraps, standard polymer dot-and-“U”-notch sights, the magazine and magazine release, its grip without finger grooves, all are identical to the now classic G19. Shooters will feel right at home behind this rimfire “wunderkind.”

Building reliable rimfire magazines for semiautomatic firearms is mired in complexity for even the most experienced designers and engineers. GLOCK had the additional challenge of manufacturing magazines that not only perform but also mirror the size and shape of the G19 centerfire model. In accomplishing that feat, GLOCK designed the G44 magazines with a load-assist slider, allowing the user to fill 10 rounds in less than 30 seconds.

## THREADED BARRELS AND SUPPRESSORS

Of course, the only thing better than a rimfire pistol is a suppressed rimfire pistol. Listening to the requests of suppressor owners around the world, GLOCK made sure the adaptor is standard 1/2x28 thread pitch was available on the first day of the G44's release to the public.

Using standard-velocity ammunition, shooters can combine the G44 with their favorite suppressor model to quietly and reliably focus on target shooting or fundamentals—and depending on the combination of suppressor and ammo, it's entirely possible that hearing protection can be eliminated, thus allowing for better communication between students and trainers or normal conversations between friends at the range.

## RIMFIRE PERFECTION

For years, GLOCK aficionados have clamored for a rimfire pistol direct from the firearms manufacturer. Conversion kits from outside companies that promised a GLOCK rimfire experience with drop-in barrels and proprietary magazines often failed to deliver: It was an authentic GLOCK chambered in .22 LR they wanted.

To answer that call, GLOCK engineers went with a “ground-up” approach that focused on a barrel, slide, and magazine that were purpose-built for the rimfire task at hand, rather than focusing on partial solutions like a conversion kit. It is this investment in time, energy, and resources to make sure this pistol was designed correctly that has conveyed to it the same perfection realized in all of GLOCK's handguns.

The result is stunning. Designed to be easy to use and function flawlessly while being accurate and light, this is a rimfire suitable for a variety of disciplines. With such a combination of features and feel, it is no stretch at all to say that the GLOCK 44 rimfire pistol is destined to be an instant classic. ●





# 2020 BUYER'S GUIDE

## G44

The G44 is a lightweight, light-recoil, SAFE-ACTION® .22 Long Rifle (.22 LR) caliber pistol. This is the first .22 LR produced by GLOCK. This new model features many Gen5 attributes and ships with a spare magazine, a set of interchangeable back-straps and a field cleaning kit.

### GLOCK'S debut .22 LR Gen5 pistol

- Threaded barrel available for a suppressed rimfire pistol.
- SAFE-ACTION® safety.
- Light weight, light recoil.
- Easy to use, flawless functioning.



### CALIBER .22 LR



G44  
\*New

|                                 |  |
|---------------------------------|--|
| <b>ACTION/SYSTEM</b>            | Action: SAFE-ACTION® (constant double-action mode) |
| <b>LENGTH</b>                   | 7.28 in. / 185 mm                                  |
| <b>HEIGHT</b>                   | 5.04 in. / 128 mm                                  |
| <b>WIDTH</b>                    | 1.26 in. / 32 mm                                   |
| <b>SIGHT RADIUS (POLYMER)</b>   | 6.02 in. / 153 mm                                  |
| <b>BARREL LENGTH</b>            | 4.02 in. / 102 mm                                  |
| <b>BARREL RIFLING</b>           | Hexagonal profile with right-hand twist            |
| <b>LENGTH OF TWIST</b>          | 15.98 in. / 406 mm                                 |
| <b>MAG. CAPACITY STD. (RDS)</b> | 10   |
| <b>WEIGHT INCL. MAGAZINE</b>    | ~14.74 oz. / ~418 g                                |
| <b>WEIGHT LOADED</b>            | ~15.94 oz. / ~452 g                                |
| <b>TRIGGER PULL</b>             | ~5.8 lbs. / ~26 N                                  |
| <b>TRIGGER TRAVEL</b>           | ~0.49 in. / ~12.5 mm                               |
| <b>MSRP</b>                     | \$430  |

Technical specs may be altered without notice



# G43X & G48

Ideal for everyday carry, the GLOCK 43X and GLOCK 48 feature a compact Slimline frame for optimal fit and feel, a 10+1 round capacity, and a new black slide. Offering many of the latest Gen5 features, the G43X bears a subcompact slide, while the G48 boasts a compact slide.

## GLOCK's compact 9X19 powerhouse pistols group:

- Maximum stopping power in a compact package.
- Broad range of capable loadings available.
- More than a century of 9X19 use.
- Manageable recoil.



## CALIBER 9X19



G43X  
\*New

G48  
\*New

| ACTION/SYSTEM            | Action: SAFE-ACTION® (constant double-action mode) |                     |
|--------------------------|--|---------------------|
| LENGTH                   | 6.50 in. / 165 mm                                  | 7.28 in. / 185 mm   |
| HEIGHT                   | 5.04 in. / 128 mm                                  | 5.04 in. / 128 mm   |
| WIDTH                    | 1.10 in. / 28 mm                                   | 1.10 in. / 28 mm    |
| SIGHT RADIUS (POLYMER)   | 5.24 in. / 133 mm                                  | 5.98 in. / 152 mm   |
| BARREL LENGTH            | 3.41 in. / 87 mm                                   | 4.17 in. / 106 mm   |
| BARREL RIFLING           | Hexagonal profile with right-hand twist            |                     |
| LENGTH OF TWIST          | 9.84 in. / 250 mm                                  | 9.84 in. / 250 mm   |
| MAG. CAPACITY STD. (RDS) | 10   | 10                  |
| WEIGHT INCL. MAGAZINE    | ~18.70 oz. / ~530 g                                | ~20.74 oz. / ~588 g |
| WEIGHT LOADED            | ~23.07 oz. / ~654 g                                | ~25.12 oz. / ~712 g |
| TRIGGER PULL             | ~5.4 lbs. / ~24 N                                  | ~5.4 lbs. / ~24 N   |
| TRIGGER TRAVEL           | ~.49 in. / ~12.5 mm                                | ~.49 in. / ~12.5 mm |
| MSRP                     | \$580  | \$580               |

Technical specs may be altered without notice



## G45 & CROSSOVER

The GLOCK 45 is a recent addition to the family of GLOCK pistols. Utilizing the design and engineering GLOCK developed for its military pistol (19X), combined with operator and worldwide law enforcement specifications, the G45 in 9X19 is a crossover design. The superb G45 combines the fast handling and cycling of a GLOCK 19-sized slide with the frame size of a Gen5 GLOCK 17. Both upper and lower assemblies have received subtle enhancements that distinctly improve performance.



The slide has the proven, superior, GLOCK nDLC hardsurface finish in non-reflective black. There are precision-milled serrations forward of the ejection port on both sides. The frame is a subdued black, with a flared magazine well that completely encircles the front of the grip: Reloads in critical situations can be performed with speed and efficiency. The G45 incorporates other elements of the Gen5 GLOCK pistols, including a smoother trigger pull, the enhanced frame texture for sure handling, a reversible mag catch, ambidextrous slide stop lever, the Modular Backstrap System (MBS), and the incredibly accurate, reliable, GLOCK Marksman Barrel\* (GMB). Simply put, GLOCK has the next level of performance for service pistols, one tested, proven, and unmatched by any other.

*\*The GLOCK Marksman Barrel (GMB) is an incredibly accurate, reliable, match-grade barrel with enhanced rifling.*

### CALIBER 9x19



|                                 | G19X   | G45                 | G45 MOS             |
|---------------------------------|--|---------------------|---------------------|
| <b>ACTION/SYSTEM</b>            | Action: SAFE-ACTION® (constant double-action mode)     |                     |                     |
| <b>LENGTH</b>                   | 7.44 in. / 189 mm                                      | 7.44 in. / 189 mm   | 7.44 in. / 189 mm   |
| <b>HEIGHT (INCL. MAGAZINE)</b>  | 5.47 in. / 139 mm                                      | 5.47 in. / 139 mm   | 5.47 in. / 139 mm   |
| <b>WIDTH</b>                    | 1.30 in. / 33 mm                                       | 1.34 in. / 34 mm    | 1.34 in. / 34 mm    |
| <b>SIGHT RADIUS</b>             | 5.94 in. / 151 mm *                                    | 6.02 in. / 153 mm   | 6.18 in. / 157 mm   |
| <b>BARREL LENGTH</b>            | 4.02 in. / 102 mm                                      | 4.02 in. / 102 mm   | 4.02 in. / 102 mm   |
| <b>BARREL RIFLING</b>           | Enhanced hexagonal profile with right-hand twist (GMB) |                     |                     |
| <b>LENGTH OF TWIST</b>          | 9.84 in. / 250 mm                                      | 9.84 in. / 250 mm   | 9.84 in. / 250 mm   |
| <b>MAG. CAPACITY STD. (RDS)</b> | 17 / 19  | 17                  | 17                  |
| <b>WEIGHT INC. MAGAZINE</b>     | ~24.83 oz. / ~704 g                                    | ~24.48 oz. / ~694 g | ~24.52 oz. / ~695 g |
| <b>WEIGHT LOADED</b>            | ~31.39 oz. / ~890 g                                    | ~30.34 oz. / ~860 g | ~30.34 oz. / ~860 g |
| <b>TRIGGER PULL</b>             | ~5.8 lbs. / ~26 N                                      | ~5.8 lbs. / ~26 N   | ~5.8 lbs. / ~26 N   |
| <b>TRIGGER TRAVEL</b>           | ~0.49 in. / 12.5 mm                                    | ~0.49 in. / 12.5 mm | ~0.49 in. / 12.5 mm |
| <b>MSRP</b>                     | \$749  | \$699               | \$745               |

\*(GNS) GLOCK Night Sights

Technical specs may be altered without notice

\*Optics not included on MOS models

### 6 GLOCK 2020 BUYER'S GUIDE

## G17 & G19 Gen5 MOS

GLOCK enhances the desirability of the already near-perfect Gen5 models 17 and 19 with the addition of the Modular Optics System (MOS) to these full-size and compact GLOCKS. These Gen5 models are precision-machined to provide a mounting system for popular optic sights—a new paradigm in handgun sighting. With multiple adapter plates, you can quickly and easily mount miniature electronic sights to the rear of the Gen5 GLOCK slide, which has forward serrations for easier and quicker manipulations. The resulting combination of optical sighting and the unparalleled accuracy and reliability of the GLOCK Marksman Barrel\* (GMB) sets a new standard for this class of pistols.



All of the Gen5 qualities are present in these MOS pistols: The latest GLOCK nDLC surface finish on the major metal components, unmatched in hardness and rust-resistance; the high-traction Gen5 frame texture; quickly reversible magazine catches; ambidextrous slide stop lever; the Modular Backstrap System (MBS), which makes it easy to change the grip size; the universally-acclaimed GLOCK SAFE-ACTION® trigger system; and high-visibility orange magazine followers. When you utilize electronic sights, targets may be engaged quickly and efficiently from close contact to 100 yards.

\*The GLOCK Marksman Barrel (GMB) is an incredibly accurate, reliable, match-grade barrel with enhanced rifling.

CALIBER  
9X19



|  | G34 Gen5 MOS | G17 Gen5 MOS | G17 Gen5 | G19 Gen5 MOS | G19 Gen5 | G26 Gen5 |
|--|--------------|--------------|----------|--------------|----------|----------|
|--|--------------|--------------|----------|--------------|----------|----------|

**ACTION/SYSTEM** Action: SAFE-ACTION® (constant double-action mode)

|                                 | G34 Gen5 MOS   | G17 Gen5 MOS         | G17 Gen5            | G19 Gen5 MOS         | G19 Gen5            | G26 Gen5             |
|---------------------------------|--|----------------------|---------------------|----------------------|---------------------|----------------------|
| <b>LENGTH</b>                   | 8.74 in. / 222 mm                                      | 7.95 in. / 202 mm    | 7.95 in. / 202 mm   | 7.28 in. / 185 mm    | 7.28 in. / 185 mm   | 6.42 in. / 163 mm    |
| <b>HEIGHT</b>                   | 5.47 in. / 139 mm                                      | 5.47 in. / 139 mm    | 5.47 in. / 139 mm   | 5.04 in. / 128 mm    | 5.04 in. / 128 mm   | 4.17 in. / 106 mm    |
| <b>WIDTH</b>                    | 1.34 in. / 34 mm                                       | 1.34 in. / 34 mm     | 1.34 in. / 34 mm    | 1.34 in. / 34 mm     | 1.34 in. / 34 mm    | 1.30 in. / 33 mm     |
| <b>SIGHT RADIUS (POLYMER)</b>   | 7.52 in. / 191 mm                                      | 6.65 in. / 169 mm    | 6.46 in. / 164 mm   | 6.18 in. / 157 mm    | 6.02 in. / 153 mm   | 5.39 in. / 137 mm    |
| <b>BARREL LENGTH</b>            | 5.31 in. / 135 mm                                      | 4.49 in. / 114 mm    | 4.49 in. / 114 mm   | 4.02 in. / 102 mm    | 4.02 in. / 102 mm   | 4.34 in. / 110 mm    |
| <b>BARREL RIFLING</b>           | Enhanced hexagonal profile with right-hand twist (GMB) |                      |                     |                      |                     |                      |
| <b>LENGTH OF TWIST</b>          | 9.84 in. / 250 mm                                      | 9.84 in. / 250 mm    | 9.84 in. / 250 mm   | 9.84 in. / 250 mm    | 9.84 in. / 250 mm   | 9.84 in. / 250 mm    |
| <b>MAG. CAPACITY STD. (RDS)</b> | 17   | 17                   | 17                  | 15                   | 15                  | 10                   |
| <b>WEIGHT INCL. MAGAZINE</b>    | ~26.21 oz. / ~743 g                                    | ~24.87 oz. / ~705 g  | ~25.08 oz. / ~711 g | ~23.63 oz. / ~675 g  | ~23.99 oz. / ~680 g | ~21.69 oz. / ~615 g  |
| <b>WEIGHT LOADED</b>            | ~34.57 oz. / ~980 g                                    | ~33.33 oz. / ~945 g  | ~32.14 oz. / ~911 g | ~29.98 oz. / ~850 g  | ~31.81 oz. / ~880 g | ~26.07 oz. / ~739 g  |
| <b>TRIGGER PULL</b>             | ~5.4 lbs. / ~24 N                                      | ~5.8 lbs. / ~26 N    | ~5.8 lbs. / ~26 N   | ~5.8 lbs. / ~26 N    | ~5.8 lbs. / ~26 N   | ~5.8 lbs. / ~26 N    |
| <b>TRIGGER TRAVEL</b>           | ~0.49 in. / ~12.5 mm                                   | ~0.49 in. / ~12.5 mm | ~0.49 in. / 12.5 mm | ~0.49 in. / ~12.5 mm | ~0.49 in. / 12.5 mm | ~0.49 in. / ~12.5 mm |
| <b>MSRP</b>                     | \$899  | \$745                | \$699               | \$745                | \$699               | \$699                |

Technical specs may be altered without notice  
\*Optics not included on MOS models



# 9X19

The 9X19 is the worldwide king of combat cartridges. Combining capable power with the ability to pack in a lot of rounds, the 9X19 is a winner. Add to that its low recoil and recent advancements in bullet technology for maximum performance, and it is the round to beat.

### GLOCK's powerful and popular 9X19 group:

- The world's most popular combat cartridge.
- Combines high on-board ammo counts with impressive power.
- Ease of ammo compatibility with a back-up gun.
- Broad ammo availability no matter your location.



### CALIBER 9X19



**G34 Gen4 MOS**  
**G34 Gen4**  
**G34 (CA)**

**G17 Gen4 MOS**  
**G17 Gen4**  
**G17 (CA)**

**G19 Gen4 MOS**  
**G19 Gen4**  
**G19 (CA)**

**G43**

**G26 Gen4**  
**G26 (CA)**

| ACTION/SYSTEM            | Action: SAFE-ACTION® (constant double-action mode)                |   |   |                     |  |
|--------------------------|---|---|---|---------------------|--|
| LENGTH                   | 8.74 in. / 222 mm<br>8.74 in. / 222 mm<br>8.82 in. / 224 mm       | 7.95 in. / 202 mm<br>7.95 in. / 202 mm<br>8.03 in. / 204 mm | 7.28 in. / 185 mm<br>7.28 in. / 185 mm<br>7.36 in. / 187 mm | 6.26 in. / 159 mm   | 6.42 in. / 163 mm<br>6.50 in. / 165 mm |
| HEIGHT                   | 5.47 in. / 139 mm   | 5.47 in. / 139 mm   | 5.04 in. / 128 mm   | 4.25 in. / 108 mm   | 4.17 in. / 106 mm                      |
| WIDTH                    | 1.30 in. / 33 mm  | 1.26 in. / 32 mm  | 1.26 in. / 32 mm  | 1.06 in. / 27 mm    | 1.26 in. / 32 mm                       |
| SIGHT RADIUS (POLYMER)   | 7.52 in. / 191 mm<br>7.56 in. / 192 mm                            | 6.69 in. / 170 mm<br>6.50 in. / 165 mm                      | 6.22 in. / 158 mm<br>6.02 in. / 153 mm                      | 5.24 in. / 133 mm   | 5.39 in. / 137 mm                      |
| BARREL LENGTH            | 5.31 in. / 135 mm   | 4.49 in. / 114 mm   | 4.02 in. / 102 mm   | 3.41 in. / 86.5 mm  | 3.43 in. / 87 mm                       |
| BARREL RIFLING           | Hexagonal profile with right-hand twist                           |   |   |                     |  |
| LENGTH OF TWIST          | 9.84 in. / 250 mm   | 9.84 in. / 250 mm   | 9.84 in. / 250 mm   | 9.84 in. / 250 mm   | 9.84 in. / 250 mm                      |
| MAG. CAPACITY STD. (RDS) | 17  | 17  | 15  | 6                   | 10                                     |
| WEIGHT INCL. MAGAZINE    | ~26.10 oz. / ~740 g<br>~25.93 oz. / ~735 g                        | ~24.87 oz. / ~705 g<br>~24.87 oz. / ~705 g                  | ~23.63 oz. / ~670 g   | ~17.99 oz. / ~510 g | ~21.52 oz. / ~610 g                    |
| WEIGHT LOADED            | ~33.51 oz. / ~950 g<br>~33.16 oz. / ~940 g<br>~33.33 oz. / ~945 g | ~32.28 oz. / ~915 g   | ~30.16 oz. / ~855 g   | ~20.64 oz. / ~585 g | ~25.75 oz. / ~730                      |
| TRIGGER PULL             | ~5.5 lbs. / ~24 N<br>~4.5 lbs. / ~24 N                            | ~5.5 lbs. / ~28 N   | ~5.5 lbs. / ~28 N   | ~5.5 lbs. / ~24 N   | ~5.5 lbs. / ~28 N                      |
| TRIGGER TRAVEL           | ~.49 in. / ~12.5 mm<br>~.49 in. / ~12.5 mm                        |   | ~.49 in. / ~12.5 mm   | ~.49 in. / ~12.5 mm | ~.49 in. / ~12.5 mm                    |
| MSRP                     | \$840   | \$679   | \$ 750  | \$580               | \$ 599                                 |


Technical specs may be altered without notice  
\*Optics not included on MOS models

# .380 AUTO

The .380 AUTO round has seen a renaissance of popularity in recent years and is viewed by many as the ultimate pocket-pistol cartridge. Combining minute dimensions with effective self-defense performance, the .380 AUTO gives you the concealed-carry power you need.

## GLOCK's pint-sized .380 AUTO powerhouse pistol group:

- Maximum stopping power in a compact package.
- Broad range of capable loadings available.
- More than a century of real-world use.
- Manageable recoil.



## G42

6+1 COMPACT

### SMALL SIZE, MAXIMUM POWER

The biggest splash can be made by the smallest object, and the GLOCK 42 in .380 AUTO is no exception. GLOCK perfection in pocket-sized dimensions, this pistol is the ultimate companion!

## G25 [Restricted to LE sales]

### COMPACT LE POWERHOUSE

With its double-stack magazine packing 15 rounds of .380 AUTO firepower, the GLOCK 25 offers law enforcement officers a lot of punch in a very portable package.

15+1 COMPACT



## CALIBER .380 AUTO



|                                 | G42  | G25<br>LE ONLY       |
|---------------------------------|--|----------------------|
| <b>ACTION/SYSTEM</b>            | Action: SAFE-ACTION® (constant double-action mode) |                      |
| <b>LENGTH</b>                   | 5.94 in. / 151 mm                                  | 7.36 in. / 187 mm    |
| <b>HEIGHT</b>                   | 4.13 in. / 105 mm                                  | 5.04 in. / 128 mm    |
| <b>WIDTH</b>                    | .98 in. / 25 mm                                    | 1.26 in. / 32 mm     |
| <b>SIGHT RADIUS (POLYMER)</b>   | 4.92 in. / 125 mm                                  | 6.02 in. / 153 mm    |
| <b>BARREL LENGTH</b>            | 3.25 in. / 82.5 mm                                 | 4.02 in. / 102 mm    |
| <b>BARREL RIFLING</b>           | Hexagonal profile with right-hand twist            |                      |
| <b>LENGTH OF TWIST</b>          | 9.84 in. / 250 mm                                  | 9.84 in. / 250 mm    |
| <b>MAG. CAPACITY STD. (RDS)</b> | 6  | 15                   |
| <b>WEIGHT INCL. MAGAZINE</b>    | ~13.76 oz. / ~390 g                                | ~22.75 oz. / ~645 g  |
| <b>WEIGHT LOADED</b>            | ~15.87 oz. / ~450 g                                | ~27.69 oz. / ~785 g  |
| <b>TRIGGER PULL</b>             | ~5.5 lbs. / ~24 N                                  | ~5.5 lbs. / ~28 N    |
| <b>TRIGGER TRAVEL</b>           | ~0.49 in. / ~12.5 mm                               | ~0.49 in. / ~12.5 mm |
| <b>MSRP</b>                     | \$480  | \$ LE ONLY           |

Technical specs may be altered without notice



# .40 AUTO

The .40 AUTO has a proven track record as the pre-eminent law enforcement cartridge in the United States. Developed as a result of a federal law enforcement request, the .40 AUTO bridges the performance gap between the 9X19 and the .45 AUTO.

### GLOCK's trend-setting .40 AUTO pistol group:

- Large-caliber firepower in a medium-sized frame.
- Controllable recoil despite impressive power.
- Decades of street-proven performance.
- For those who want controllable big-bore power.



Straight 8 Photo

### CALIBER .40 AUTO



|  | G35 Gen4 MOS | G35 Gen4 G35 (CA) | G22 Gen4 G22 (CA) | G23 Gen4 G23 (CA) | G27 Gen4 G27 (CA) |
|--|--------------|-------------------|-------------------|-------------------|-------------------|
|--|--------------|-------------------|-------------------|-------------------|-------------------|

**ACTION/SYSTEM** Action: SAFE-ACTION® (constant double-action mode)

|                                 |   |  |  |  |  |
|---------------------------------|---|--|--|--|--|
| <b>LENGTH</b>                   | 8.74 in. / 222 mm                       | 8.74 in. / 222 mm<br>8.82 in. / 224 mm       | 7.95 in. / 202 mm<br>8.03 in. / 204 mm | 7.28 in. / 185 mm<br>7.36 in. / 187 mm     | 6.42 in. / 163 mm<br>6.50 in. / 165 mm |
| <b>HEIGHT</b>                   | 5.47 in. / 139 mm                       | 5.47 in. / 139 mm                            | 5.47 in. / 139 mm                      | 5.04 in. / 128 mm                          | 4.17 in. / 106 mm                      |
| <b>WIDTH</b>                    | 1.30 in. / 33 mm                        | 1.30 in. / 33 mm                             | 1.26 in. / 32 mm                       | 1.26 in. / 32 mm                           | 1.26 in. / 32 mm                       |
| <b>SIGHT RADIUS (POLYMER)</b>   | 7.52 in. / 191 mm                       | 7.56 in. / 192 mm                            | 6.50 in. / 165 mm                      | 6.02 in. / 153 mm                          | 5.39 in. / 137 mm                      |
| <b>BARREL LENGTH</b>            | 5.31 in. / 135 mm                       | 5.31 in. / 135 mm                            | 4.49 in. / 114 mm                      | 4.02 in. / 102 mm                          | 3.43 in. / 87 mm                       |
| <b>BARREL RIFLING</b>           | Hexagonal profile with right-hand twist |  |  |  |  |
| <b>LENGTH OF TWIST</b>          | 9.84 in. / 250 mm                       | 9.84 in. / 250 mm                            | 9.84 in. / 250 mm                      | 9.84 in. / 250 mm                          | 9.84 in. / 250 mm                      |
| <b>MAG. CAPACITY STD. (RDS)</b> | 15                                      | 15   | 15                                     | 13   | 9                                      |
| <b>WEIGHT INCL. MAGAZINE</b>    | ~27.69 oz. / ~785 g                     | ~27.69 oz. / ~785 g<br>~27.51 oz. / ~780 g   | ~25.57 oz. / ~725 g                    | ~23.81 oz. / ~675 g<br>~23.63 oz. / ~670 g | ~21.34 oz. / ~605 g                    |
| <b>WEIGHT LOADED</b>            | ~36.33 oz. / ~1030 g                    | ~36.51 oz. / ~1035 g<br>~36.33 oz. / ~1030 g | ~34.39 oz. / ~975 g                    | ~31.39 oz. / ~890 g<br>~31.22 oz. / ~885 g | ~26.46 oz. / ~750 g                    |
| <b>TRIGGER PULL</b>             | ~5.5 lbs. / ~24 N                       | ~5.5 lbs. / ~24 N                            | ~5.5 lbs. / ~28 N                      | ~5.5 lbs. / ~28 N                          | ~5.5 lbs. / ~28 N                      |
| <b>TRIGGER TRAVEL</b>           | ~.49 in. / ~12.5 mm                     | ~.49 in. / ~12.5 mm                          | ~.49 in. / ~12.5 mm                    | ~.49 in. / ~12.5 mm                        | ~.49 in. / ~12.5 mm                    |
| <b>MSRP</b>                     | \$840                                   | \$679  | \$599                                  | \$599                                      | \$599                                  |


Technical specs may be altered without notice  
\*Optics not included on MOS models

# .45 AUTO

The .45 AUTO offers big-bore power in a round that can be found on the shelves of any gun store in the United States. It is the top choice for serious self-defense enthusiasts.

### GLOCK's big-bore .45 AUTO pistol group:

- A classic American big-bore cartridge.
- Battle-proven history spanning more than a century.
- Amazing stopping power and manageable recoil.
- Broad selection of loads available.



Straight 8 Photo

### CALIBER .45 AUTO



|                                 | G41 Gen4 MOS                                       | G41 Gen4             | G21 Gen4<br>G21 SF (CA)                    | G30 Gen4<br>G30 SF (CA)        | G30S                 | G36                  |
|---------------------------------|--|----------------------|--|--------------------------------|----------------------|----------------------|
| <b>ACTION/SYSTEM</b>            | Action: SAFE-ACTION® (constant double-action mode) |                      |  |                                |                      |                      |
| <b>LENGTH</b>                   | 8.78 in. / 223 mm                                  | 8.78 in. / 223 mm    | 8.07 in. / 205 mm                          | 6.97 in. / 177 mm              | 6.97 in. / 177 mm    | 6.97 in. / 177 mm    |
| <b>HEIGHT</b>                   | 5.47 in. / 139 mm                                  | 5.47 in. / 139 mm    | 5.51 in. / 140 mm                          | 4.80 in. / 122 mm              | 4.80 in. / 122 mm    | 4.72 in. / 120 mm    |
| <b>WIDTH</b>                    | 1.34 in. / 34 mm                                   | 1.34 in. / 34 mm     | 1.34 in. / 34 mm                           | 1.38 in. / 35 mm               | 1.38 in. / 35 mm     | 1.18 in. / 30 mm     |
| <b>SIGHT RADIUS (POLYMER)</b>   | 7.64 in. / 194 mm                                  | 7.68 in. / 195 mm    | 6.77 in. / 172 mm                          | 5.91 in. / 150 mm              | 5.91 in. / 150 mm    | 5.91 in. / 150 mm    |
| <b>BARREL LENGTH</b>            | 5.31 in. / 135 mm                                  | 5.31 in. / 135 mm    | 4.61 in. / 117 mm                          | 3.78 in. / 96 mm               | 3.78 in. / 96 mm     | 3.78 in. / 96 mm     |
| <b>BARREL RIFLING</b>           | Octagonal profile with right-hand twist            |                      |  |                                |                      |                      |
| <b>LENGTH OF TWIST</b>          | 15.75 in. / 400 mm                                 | 15.75 in. / 400 mm   | 15.74 in. / 400 mm                         | 15.75 in. / 400 mm             | 15.75 in. / 400 mm   | 15.75 in. / 400 mm   |
| <b>MAG. CAPACITY STD. (RDS)</b> | 13   | 13                   | 13   | 10                             | 10                   | 6                    |
| <b>WEIGHT INCL. MAGAZINE</b>    | ~26.63 oz. / ~755 g                                | ~26.81 oz. / ~760 g  | ~29.28 oz. / ~830 g<br>~29.10 oz. / ~825 g | ~26.28 oz. / ~745 g            | ~22.75 oz. / ~645 g  | ~22.40 oz. / ~635 g  |
| <b>WEIGHT LOADED</b>            | ~36.16 oz. / ~1025 g                               | ~36.51 oz. / ~1035 g | ~38.80 oz. / ~1100 g                       | ~33.69 oz. / ~955 g            | ~30.16 oz. / ~855 g  | ~26.81 oz. / ~760 g  |
| <b>TRIGGER PULL</b>             | ~5.5 lbs. / ~24 N                                  | ~5.5 lbs. / ~24 N    | ~5.5 lbs. / ~28 N                          | ~5.5 lbs. / ~28 N              | ~5.5 lbs. / ~28 N    | ~5.5 lbs. / ~28 N    |
| <b>TRIGGER TRAVEL</b>           | ~0.49 in. / ~12.5 mm                               | ~0.49 in. / ~12.5 mm | ~0.49 in. / ~12.5 mm                       | ~0.49 in. / ~12.5 mm           | ~0.49 in. / ~12.5 mm | ~0.49 in. / ~12.5 mm |
| <b>MSRP</b>                     | \$840  | \$729                | \$687 G21 Gen4<br>\$637 G21 SF             | \$687 G30 Gen4<br>\$637 G30 SF | \$637                | \$637                |

Technical specs may be altered without notice  
\*Optics not included on MOS models



# 10mm AUTO

Proving that a semi-automatic pistol does not have to give up power when compared to magnum revolvers, the 10mm AUTO cartridge is comparable to the .41 Magnum revolver round and equally capable as a hunting or a self-defense cartridge.

## GLOCK's unstoppable 10mm AUTO group:

- Magnum performance in semi-auto form.
- Capable hunting or self-defense round.
- Impressive capacity, amazing performance!
- Packs in long-range striking power.



## CALIBER 10mm AUTO



G40 Gen4 MOS

G20 Gen4  
G20 SF (CA)

G29 Gen4  
G29 SF (CA)

|                                 | G40 Gen4 MOS                                       | G20 Gen4<br>G20 SF (CA)                      | G29 Gen4<br>G29 SF (CA)                    |
|---------------------------------|--|--|--|
| <b>ACTION/SYSTEM</b>            | Action: SAFE-ACTION® (constant double-action mode) |  |  |
| <b>LENGTH</b>                   | 9.49 in. / 241 mm                                  | 8.07 in. / 205 mm                            | 6.97 in. / 177 mm                          |
| <b>HEIGHT</b>                   | 5.47 in. / 139 mm                                  | 5.51 in. / 140 mm                            | 4.53 in. / 115 mm                          |
| <b>WIDTH</b>                    | 1.34 in. / 34 mm                                   | 1.34 in. / 34 mm                             | 1.38 in. / 35 mm                           |
| <b>SIGHT RADIUS (POLYMER)</b>   | 8.31 in. / 211 mm                                  | 6.77 in. / 172 mm                            | 5.91 in. / 150 mm                          |
| <b>BARREL LENGTH</b>            | 6.02 in. / 153 mm                                  | 4.61 in. / 117 mm                            | 3.78 in. / 96 mm                           |
| <b>BARREL RIFLING</b>           | Hexagonal profile with right-hand twist            |  |  |
| <b>LENGTH OF TWIST</b>          | 9.84 in. / 250 mm                                  | 9.84 in. / 250 mm                            | 9.84 in. / 250 mm                          |
| <b>MAG. CAPACITY STD. (RDS)</b> | 15   | 15   | 10   |
| <b>WEIGHT INCL. MAGAZINE</b>    | ~35.45 oz. / ~1005 g                               | ~30.69 oz. / ~870 g<br>~30.51 oz. / ~865 g   | ~26.81 oz. / ~760 g                        |
| <b>WEIGHT LOADED</b>            | ~44.62 oz. / ~1265 g                               | ~39.86 oz. / ~1130 g<br>~39.68 oz. / ~1125 g | ~32.63 oz. / ~925 g<br>~32.80 oz. / ~930 g |
| <b>TRIGGER PULL</b>             | ~4.5 lbs. / ~24 N                                  | ~5.5 lbs. / ~28 N                            | ~5.5 lbs. / ~28 N                          |
| <b>TRIGGER TRAVEL</b>           | ~.49 in. / ~12.5 mm                                | ~.49 in. / ~12.5 mm                          | ~.49 in. / ~12.5 mm                        |
| <b>MSRP</b>                     | \$840  | \$687 G20 Gen4<br>\$637 G20 SF               | \$687 G29 Gen4<br>\$637 G29 SF             |



Technical specs may be altered without notice  
\*Optics not included on MOS models

# .357 AUTO

Based on the .40 AUTO cartridge case and necked down to accept a .357-caliber projectile, this round delivers a power range comparable to the revered .357 Magnum revolver cartridge, but for a semi-automatic pistol. If you need maximum power and performance, choose the .357 AUTO.

### The ultimate performers—GLOCK's .357 AUTO group:

- Bottleneck design ensures reliable feeding.
- Magnum revolver power in a semi-auto package.
- Amazing ballistics and on-target performance.
- High velocity delivers fight-stopping power.



Straight 8 Photo

### CALIBER .357 AUTO



|                                 | G31 Gen4<br>G31 (CA)                               | G32 Gen4<br>G32 (CA)                   | G33 Gen4<br>G33 (CA)                   |
|---------------------------------|--|--|--|
| <b>ACTION/SYSTEM</b>            | Action: SAFE-ACTION® (constant double-action mode) |  |  |
| <b>LENGTH</b>                   | 7.95 in. / 202 mm<br>8.03 in. / 204 mm             | 7.28 in. / 185 mm<br>7.36 in. / 187 mm | 6.42 in. / 163 mm<br>6.50 in. / 165 mm |
| <b>HEIGHT</b>                   | 5.47 in. / 139 mm                                  | 5.04 in. / 128 mm                      | 4.21 in. / 107 mm                      |
| <b>WIDTH</b>                    | 1.26 in. / 32 mm                                   | 1.26 in. / 32 mm                       | 1.26 in. / 32 mm                       |
| <b>SIGHT RADIUS (POLYMER)</b>   | 6.50 in. / 165 mm                                  | 6.02 in. / 153 mm                      | 5.39 in. / 137 mm                      |
| <b>BARREL LENGTH</b>            | 4.49 in. / 114 mm                                  | 4.02 in. / 102 mm                      | 3.43 in. / 87 mm                       |
| <b>BARREL RIFLING</b>           | Hexagonal profile with right-hand twist            |  |  |
| <b>LENGTH OF TWIST</b>          | 9.84 in. / 250 mm                                  | 9.84 in. / 250 mm                      | 9.84 in. / 250 mm                      |
| <b>MAG. CAPACITY STD. (RDS)</b> | 15   | 13                                     | 9                                      |
| <b>WEIGHT INCL. MAGAZINE</b>    | ~26.10 oz. / ~740 g                                | ~24.34 oz. / ~690 g                    | ~21.87 oz. / ~620 g                    |
| <b>WEIGHT LOADED</b>            | ~33.16 oz. / ~940 g                                | ~30.34 oz. / ~860 g                    | ~25.93 oz. / ~735 g                    |
| <b>TRIGGER PULL</b>             | ~5.5 lbs. / ~28 N                                  | ~5.5 lbs. / ~28 N                      | ~5.5 lbs. / ~28 N                      |
| <b>TRIGGER TRAVEL</b>           | ~.49 in. / ~12.5 mm                                | ~.49 in. / ~12.5 mm                    | ~.50 in. / ~12.5 mm                    |
| <b>MSRP</b>                     | \$599  | \$599                                  | \$599                                  |



Photo Courtesy Civilian Marksmanship Program



Technical specs may be altered without notice



# .45 G.A.P.

The .45 G.A.P. (GLOCK Automatic Pistol) round has a shorter case length than the classic .45 AUTO.

### GLOCK's .45 G.A.P. group:

- Big-bore round.
- Compact dimensions, big-bore power.
- Controllable recoil, yet voluminous force!
- Fight-stopping power in a portable package.



Photo Courtesy GLOCK

### CALIBER .45 G.A.P.



|  | G37 Gen4<br>G37 | G38 | G39 |
|--|-----------------|-----|-----|
|--|-----------------|-----|-----|

| ACTION/SYSTEM            | Action: SAFE-ACTION® (constant double-action mode) |                     |                     |
|--------------------------|--|---------------------|---------------------|
| LENGTH                   | 7.95 in. / 202 mm<br>8.03 in. / 204 mm             | 7.36 in. / 187 mm   | 6.50 in. / 165 mm   |
| HEIGHT                   | 5.47 in. / 139 mm                                  | 5.04 in. / 128 mm   | 4.17 in. / 106 mm   |
| WIDTH                    | 1.30 in. / 33 mm                                   | 1.30 in. / 33 mm    | 1.30 in. / 33 mm    |
| SIGHT RADIUS (POLYMER)   | 6.50 in. / 165 mm                                  | 6.02 in. / 153 mm   | 5.39 in. / 137 mm   |
| BARREL LENGTH            | 4.49 in. / 114 mm                                  | 4.02 in. / 102 mm   | 3.43 in. / 87 mm    |
| BARREL RIFLING           | Octagonal profile with right-hand twist            |                     |                     |
| LENGTH OF TWIST          | 15.75 in. / 400 mm                                 | 15.75 in. / 400 mm  | 15.75 in. / 400 mm  |
| MAG. CAPACITY STD. (RDS) | 10   | 8                   | 6                   |
| WEIGHT INCL. MAGAZINE    | ~28.75 oz. / ~815 g                                | ~26.63 oz. / ~755 g | ~24.16 oz. / ~685 g |
| WEIGHT LOADED            | ~35.27 oz. / ~1000 g                               | ~31.75 oz. / ~900 g | ~27.87 oz. / ~790 g |
| TRIGGER PULL             | ~5.5 lbs. / ~28 N                                  | ~5.5 lbs. / ~28 N   | ~5.5 lbs. / ~28 N   |
| TRIGGER TRAVEL           | ~.49 in. / ~12.5 mm                                | ~.49 in. / ~12.5 mm | ~.49 in. / ~12.5 mm |
| MSRP                     | \$664 G37 Gen4<br>\$614 G37                        | \$614               | \$614               |

Technical specs may be altered without notice



Straight 8 Photo



# ORIGINAL ACCESSORIES

HOLSTERS, CASE & SIGHTS



## GLOCK DUMMY ROUNDS

GLOCK Dummy Rounds have the same shape and dimensions as live ammunition in the 9X19, .40 AUTO, and .45 AUTO chamberings but are totally inert and safe for dry-fire practice. Produced from a polyamide polymer, GLOCK Dummy Rounds live up to GLOCK quality standards, which ensure resistance to abrasion, long service life, and superior performance. GLOCK Dummy Rounds are the safe choice made by police, military, and civilians for training purposes.



## SPORT/DUTY HOLSTER

The tough basic model, in both left- and right-hand versions, secures the entire pistol safely with a thumb-break retention strap. Available in 1.34-inch (34mm) and 1.77-inch (45mm) belt widths.



## MAGAZINE POUCH

This ambidextrous pouch will accommodate belt widths from 1.25 inches (31.8mm) to 2.48 inches (63mm). The pouch has an integral detent, which provides retention without the need for straps or flaps. Available for all magazines, excluding the GLOCK 36 and the GLOCK 42.



## SPORT/COMBAT HOLSTER

A super-lightweight, ambidextrous holster that's popular for off-duty or plainclothes use. It conceals GLOCK pistols beneath a coat or jacket. A special triggerguard retention device secures the pistol in the holster. The holster will accommodate belt widths from 1.25 inches (31.8mm) to 2.48 inches (63mm).





# ORIGINAL ACCESSORIES

HOLSTERS, CASE & SIGHTS

## FULLY ADJUSTABLE REAR SIGHT

Equipped with a contrast insert, enabling simple, accurate, and quick target alignment, the GLOCK Adjustable Rear Sight has a low-profile, point-of-impact positioning that is adjustable in elevation and windage. Supplied with adjustment tool.




### 1. FIXED REAR SIGHT

This sight is available to compensate for various types of ammunition. Available in 6.1mm, 6.5mm, 6.9mm, and 7.3mm heights.




### 2. STEEL SIGHTS

GLOCK offers durable fixed steel sights as an alternative to the well-known standard synthetic fixed sights.



## REAR SIGHT ADJUSTMENT TOOL

A versatile, easy to use adjustment and installation device for GLOCK rear sights.



## FIXED NIGHT SIGHT

Tritium contrast points that illuminate in color at night, visible as white in daylight.



## FRONT SIGHT MOUNTING TOOL

For installing the GLOCK screw-on front sight (all versions), simply screw the front sight onto the slide of the autopistol. By turning the screw, the front sight is easily installed and locked in place.





Photo Courtesy GLOCK

## SURVIVAL KNIFE

The GLOCK Survival Knife is made of a special hardened steel, with polymer handles and black, anti-corrosion-coated blades for maximum durability and ruggedness. Knives come with matching sheaths made of high-impact-resistant polymer material and feature a loop catch that allows for quick drawing with only one hand. They fit belts up to 2.4 inches (60mm) in width.

### SURVIVAL KNIFE MODEL 81

Survival knife with saw.

#### AVAILABLE IN:

- Black
- Sniper Grey
- Flat Dark Earth
- Battlefield Green






# ORIGINAL ACCESSORIES

## TOOLS & LIGHTS

### ENTRENCHING TOOL

A must-have for any outdoor enthusiast, this innovative entrenching tool has a surface-treated blade that can be locked in three positions for multiple uses. The hardened saw located inside the handle can be quickly mounted if required. When folded, the GLOCK Entrenching Tool can be easily stored in a backpack or vehicle. Comes with a durable nylon pouch that can attach to a belt or backpack.



## SAFE-ACTION® TACTICAL LIGHT

Equipped with the ultimate electronic features at a minimal weight, the GLOCK Tactical Light is designed specifically for duty use under extreme circumstances. The rugged GLOCK polymer casing holds Xenon®-technology electronics packing high luminous power available at the touch of the ergonomically placed soft switch.



Tactical Light hard-storage case made of high-impact-resistant polymer included with all Tactical Light purchases.

All sets sold in the U.S. include these items in the case:

- (2) Lithium batteries
- (1) Replacement bulb
- (1) Owner's manual



Straight 8 Photo

## SAFE-ACTION® TACTICAL LIGHT WITH LASER

Now the GLOCK Tactical Light has a visible red laser placed efficiently within its compact housing. Able to function independently or in concert with the high-intensity Xenon® white light at the touch of a centrally placed mode switch, the red laser/light module is easily and securely mounted to GLOCK pistols with the rail-mount system. The laser can be zeroed with pinpoint accuracy, and both the white light and laser respond to the ergonomically designed switch. Ideal for military, law enforcement, and self-defense situations.

The GLOCK GTL 22 Tactical Light includes a dimmer switch and adjustment tool.



# CROSSOVER TO CONFIDENCE

Get next-level perfection you can rely on with the G45 and G45 MOS. With a compact slide, a full-size frame and a 17-round magazine capacity, they include all the popular features of our Gen5 pistols. And, the G45 features a factory-milled slide, which makes it easy to mount the quick-target reflex sights you love.

The G45 and G45 MOS compact crossover pistols — crossover to confidence.

Learn more at [us.glock.com](https://us.glock.com)



G45

MOS

